

## 

Company: CITEL

Address: 2, rue Troyon 92310, Sèvres, France

Trade Mark: CITEL

**Products**: Type 2 SPD for AC Network

This is to certify that **DAC80 series**, as follow, products manufactured by Citel are in compliance with:

- Directive 2011/65/EU (and delegated directive 2015/863/EU) on the Restriction of the use Of certain Hazardous Substances in electrical and electronic equipment (RoHS Directive).

- Low Voltage Directive 2014/35/EU, of the Council of the European Union

Models	Application
DAC80-10-150	1-pole Type 2 SPD for 120 Vac network
DAC80-10-275	1-pole Type 2 SPD for 230 Vac network
DAC80-10-320	1-pole Type 2 SPD for 230 Vac network
DAC80-10-385	1-pole Type 2 SPD for 230 Vac network
DAC80-10-440	1-pole Type 2 SPD for 440 Vac network
DAC80S-10-150	1-pole Type 2 SPD for 120 Vac network (with remote signal)
DAC80S-10-275	1-pole Type 2 SPD for 230 Vac network (with remote signal)
DAC80S-10-320	1-pole Type 2 SPD for 230 Vac network (with remote signal)
DAC80S-10-385	1-pole Type 2 SPD for 230 Vac network (with remote signal)
DAC80S-10-440	1-pole Type 2 SPD for 440 Vac network (with remote signal)
DAC80-11-150	Single phase Type 2 SPD for 120 Vac network
DAC80-11-275	Single phase Type 2 SPD for 275 Vac network
DAC80-11-320	Single phase Type 2 SPD for 320 Vac network
DAC80-11-385	Single phase Type 2 SPD for 385 Vac network
DAC80S-11-150	Single phase Type 2 SPD for 120 Vac network (with remote signal)
DAC80S-11-275	Single phase Type 2 SPD for 275 Vac network (with remote signal)

2 rue Troyon, 92316 Sèvres CEDEX – FRANCE – Phone : +331 41 23 50 23 Email : <u>contact@citel.fr</u> – Website : http://www.citel.fr



Models	Application
DAC80S-11-385	Single phase Type 2 SPD for 385 Vac network (with remote signal)
DAC80-20-150	Single phase Type 2 SPD for 120 Vac network
DAC80-20-275	Single phase Type 2 SPD for 230 Vac network
DAC80-20-320	Single phase Type 2 SPD for 230 Vac network
DAC80-20-385	Single phase Type 2 SPD for 230 Vac network
DAC80-20-440	Single phase Type 2 SPD for 230 Vac network
DAC80S-20-150	Single phase Type 2 SPD for 120 Vac network (with remote signal)
DAC80S-20-275	Single phase Type 2 SPD for 230 Vac network (with remote signal)
DAC80S-20-320	Single phase Type 2 SPD for 230 Vac network (with remote signal)
DAC80S-20-385	Single phase Type 2 SPD for 230 Vac network (with remote signal)
DAC80S-20-440	Single phase Type 2 SPD for 230 Vac network (with remote signal)
DAC80-30-150	3-phase Type 2 SPD for 150/208 Vac network
DAC80-30-275	3-phase Type 2 SPD for 230/400 Vac network
DAC80-30-320	3-phase Type 2 SPD for 230/400 Vac network
DAC80-30-385	3-phase Type 2 SPD for 230/400 Vac network
DAC80-30-440	3-phase Type 2 SPD for 230/400 Vac network
DAC80S-30-150	3-phase Type 2 SPD for 150/208 Vac network (with remote signal)
DAC80S-30-275	3-phase Type 2 SPD for 230/400 Vac network (with remote signal)
DAC80S-30-320	3-phase Type 2 SPD for 230/400 Vac network (with remote signal)
DAC80S-30-385	3-phase Type 2 SPD for 230/400 Vac network (with remote signal)
DAC80S-30-440	3-phase Type 2 SPD for 230/400 Vac network (with remote signal)
DAC80-31-150	3-phase+N Type 2 SPD for 120/208 Vac network
DAC80-31-275	3-phase+N Type 2 SPD for 230/400 Vac network
DAC80-31-320	3-phase+N Type 2 SPD for 230/400 Vac network
DAC80-31-385	3-phase+N Type 2 SPD for 230/400 Vac network
DAC80S-31-150	3-phase+N Type 2 SPD for 120/208 Vac network (with remote signal)
DAC80S-31-275	3-phase+N Type 2 SPD for 230/400 Vac network (with remote signal)
DAC80S-31-320	3-phase+N Type 2 SPD for 230/400 Vac network (with remote signal)
DAC80S-31-385	3-phase+N Type 2 SPD for 230/400 Vac network (with remote signal)
DAC80-40-150	3-phase+N Type 2 SPD for 120/208 Vac network
DAC80-40-275	3-phase+N Type 2 SPD for 230/400 Vac network
DAC80-40-320	3-phase+N Type 2 SPD for 230/400 Vac network



Models	Application
DAC80-40-385	3-phase+N Type 2 SPD for 230/400 Vac network
DAC80-40-440	3-phase+N Type 2 SPD for 440 Vac network
DAC80S-40-150	3-phase+N Type 2 SPD for 120/208 Vac network (with remote signal)
DAC80S-40-275	3-phase+N Type 2 SPD for 230/400 Vac network (with remote signal)
DAC80S-40-320	3-phase+N Type 2 SPD for 230/400 Vac network (with remote signal)
DAC80S-40-385	3-phase+N Type 2 SPD for 230/400 Vac network (with remote signal)
DAC80S-40-440	3-phase+N Type 2 SPD for 440 Vac network (with remote signal)

## The DAC80 series is in compliance with their related European testing standard:

European standard	Description
EN 61643-11:2012 EN 61643-11:2012/A11 : 2018	Low-voltage surge protective devices – Part 11: Surge protective devices connected to low-voltage power systems - Requirement and test methods.

H.GUICHARD General Manager 2021-09-06

Authorized signatory for CITEL 2CP

P. Guillaumin Quality Manager 2021-09-06

CITEL 2 CP S.A.S.

Capital 5 013 500 €
2 rue Troyon
92316 SEVRES CEDEX
Tél.: 01 41 23 50 23
Fax: 01 41 23 50 09
Siren 387 740 095 - APE 27122